



DRAGONFLY GARDENS

715-268-7660
www.dragonflygardens.net

Native Catalog

491 Hwy 46
Amery, WI

	Flowers	Ht.	Habitat	Light	Description	4Pack	2" Pot	4.25" Pot	Gallon +
Wildflowers									
<i>Achillea millefolium</i> Yarrow	White June to Oct	18-30"	Prairie Savanna Woodland	full sun to part shade	Attractive, aromatic, ferny foliage. Great component of a no-mow or low-mow lawn. Good butterfly plant. Grows well in a wide variety of habitats.	•	•		
<i>Agastache foeniculum</i> Anise Hyssop	Blue June to Oct	24-40"	Prairie Savanna	full sun to part shade	Beautiful 3" flower spikes attract butterflies throughout summer. Excellent cutflower and nice in perennial gardens. Fragrant foliage makes good herbal tea.	•	•		
<i>Allium cernuum</i> Nodding Wild Onion	Pink July to Sept	12-18"	Prairie Savanna	full to part sun	Nodding 2" flower clusters above thin, wispy stems. Edible flower bulbs.	•	•		
<i>Allium stellatum</i> Prairie Onion	Pink July to Sept	12-18"	Dry Prairie Savanna	full to part sun	Attractive plants occurring in dry prairies and on rocky cliff areas. Good plant for tough sites and rock gardens. Ranging throughout MN and WI.	•	•		
<i>Amorpha canescens</i> Leadplant	Blue June to July	18-42"	Prairie Savanna	full sun to part shade	Long-lived shrub with attractive fine silvery foliage. Slow-growing but worth the wait. Used medicinally by Native Americans. Suited to driest sandy soil.	•	•		
<i>Anaphalis margaritacea</i> Pearly Everlasting	White June to Aug	18-24"	Prairie Savanna Woodland	full sun to part shade	White papery strawflowers produced atop attractive whitish foliage. Nice dried flower and contrast plant in the perennial garden. Host plant for painted lady butterfly.	•	•		
<i>Anemone canadensis</i> Canada Anemone	White May to July	12-24"	Prairie Savanna Forest	full sun to part shade	Fine, showy clump-forming plant of mesic to moist prairies, forest margins and woodlands.		•		
<i>Anemone cylindrica</i> Thimbleweed	White Late May to July	16-20"	Prairie Savanna Woodland	full sun to part shade	Thimble-like inflorescence held atop slender stems above highly divided basal leaves. Very pretty from summer into fall. Good on very dry sandy soils.	•	•		
<i>Anemone patens</i> Pasque Flower	Light Blue April to May	6"	Prairie Savanna	full to part sun	One of the first wildflowers in spring. Very showy 3" flowers followed by a cluster of hairy fruits. Dry soils. Great in rock gardens.		•		
<i>Antennaria plantaginifolia</i> Plantain Pussy Toes	White May to July	6-12"	Prairie Savanna Woodland	full sun to part shade	Nice groundcover for dry habitats in all but full shade. Attractive white foliage, excellent lawn alternative for tough sites. Ranges through MN and WI.		•		
<i>Aquilegia canadensis</i> Wild Columbine	Orange May to June	20-36"	Woodland Forest	full sun to shade	Free-flowering woodland perennial that forms large clumps with attractive foliage. Excellent hummingbird plant. Often referred to as "honeysuckle."	•	•		
<i>Arctostaphylos uva-ursi</i> Bearberry	Pink May to June	20-36"	Dry Woodland Forest	full sun to full shade	Excellent creeping evergreen shrub for moist to dry habitats in all but the deepest shade. Very common throughout most of MN and WI, particularly in the north. Excellent in the home landscape.			•	
<i>Arisaema triphyllum</i> Jack in the Pulpit	Purple/ Green May to June	18-30"	Wet Forest Swamp	part sun to shade	Very unusual flower stalk that emerges separately from 3-parted leaf. Great species for moist to wet forest restorations. Reliably spreads from seed once established. Ranges throughout MN and WI.			•	
<i>Artemisia ludoviciana</i> Prairie Sage	Yellow July to Oct	18-30"	Prairie Savanna	full to part sun	Fragrant whitish foliage makes a nice contrast to green plants. Dry to mesic prairies. Sacred incense and insect repellent of Native Americans.	•	•		
<i>Asarum canadense</i> Wild Ginger	Maroon May to June	6-12"	Mesic to Moist Forest	part sun to full shade	Beautiful forest groundcover with nearly round leaves. Strong ginger fragrance. Unusual flowers held on ground said to be pollinated by beetles. A must for forest restorations and shady perennial gardens.			•	
<i>Asclepias incarnata</i> Swamp Milkweed	Lavender June to Aug	36-48"	Prairie Marsh Lake Edge	full sun to part shade	Showy plant of moist to wet habitats. Host plant for monarch butterflies, very good nectar source for butterflies and hummingbirds. Great for lake edges.	•	•		

	Flowers	Ht.	Habitat	Light	Description	4Pack	2" Pot	4.25" Pot	Gallon +
<i>Asclepias syriaca</i> Common Milkweed	Pink June to Aug	36"- 60"	Prairie Marsh Lake Edge	full sun to part sun	Large leaved, robust plant known for being the larval host for Monarch butterflies. Benefits many other pollinators as well. Easy and fast to establish.	.	.		
<i>Asclepias tuberosa</i> Butterfly Weed	Orange June to Sept	12- 24"	Prairie Savanna	full to part sun	A must for gardens, producing orange flowers in 3" clusters. Tolerates driest sandy soils. Host plant for monarch butterflies and nectar source for others.	.	.		
<i>Asclepias verticillata</i> Whorled Milkweed	White July to Sept	16- 30"	Prairie Savanna	full to part sun	Very fine-leaved milkweed. Host plant for monarch butterflies. Good nectar source for many butterflies. Very interesting texture for the wildflower garden. Widespread in prairie regions of MN and WI.	.	.		
<i>Aster laevis</i> Smooth Aster	Blue July to Oct	20- 30"	Prairie Savanna Woodland	full sun to part shade	Very showy vibrant blue-flowered perennial. Several cultivated varieties exist, attesting to its beauty. Great butterfly plant and cutflower.	.	.		
<i>Aster lateriflorus</i> Calico Aster	White July to Oct	24- 36"	Savanna Woodland Forest	part sun to shade	Common in savannas and forests with dry to moist soil types. Good quickly growing groundcover for semi-shade and shady restoration areas.	.	.		
<i>Aster macrophyllus</i> Big Leaf Aster	Blue Aug to Oct	8-18"	Savanna Woodland Forest	full sun to shade	One of the most common groundcovers of northern forests. Broad heart-shaped leaves make an great, fast-growing groundcover for all but the wettest soil types.	.	.		
<i>Aster novae-angliae</i> New England Aster	Blue Aug to Oct	24- 48"	Prairie Marsh Swamp	full sun to part shade	Nice perennial for moist to wet habitats. Commonly used as a garden perennial and for wet lake-edge plantings. Nectar source for butterflies. Range includes southern 2/3 of WI and SE to NW MN.	.	.		
<i>Aster oblongifolius</i> Aromatic Aster	Violet Aug to Oct	12- 24"	Dry Prairie Savanna	full to part sun	Very attractive low-grower for dry sandy prairies. Common throughout SE to NW MN and SW to NW WI. A must for short prairie restorations.	.	.		
<i>Aster prenanthoides</i> Crooked Stem Aster	Lavender Aug to Oct	12- 36"	Prairie Savanna	full sun to part shade	Nice low-growing aster with zig-zagging stems covered with showy heads in late summer and fall. Native range includes SW WI and SE MN.	.	.		
<i>Aster ptarmicoides</i> Upland White Aster	White Aug to Oct	12- 24"	Prairie Savanna	full to part sun	Low, spreading plants covered with white heads late summer through fall. Mesic to dry prairies throughout MN and WI. Excellent in short prairies.	.	.		
<i>Aster puniceus</i> Swamp Aster	Purple Aug to Oct	36- 56"	Marsh Swamp	full sun to part shade	Common, showy aster of lake edges, swamps, bogs, and fens. Occurs throughout MN and WI.	.	.		
<i>Aster sagittifolius</i> Arrow-leaved Aster	White to Blue Aug to Oct	12- 40"	Woodland Forest Openings	part sun to shade	Widely adapted aster that occurs in mesic to dry forests throughout most of WI and SE to central MN. Very common in ditches and forest edges as well. Good for woodland restorations.	.	.		
<i>Aster sericeus</i> Silky Aster	Purple Aug to Oct	12- 24"	Prairie Savanna	full to part sun	Attractive mound-forming aster of dry prairies and savannas. Ranges throughout SE to NW MN and the southern 2/3 of WI.	.	.		
<i>Aster umbellatus</i> Flat-topped Aster	White July to Aug	30- 42"	Prairie Lake Edge Swamp	full sun to full shade	White heads held in a broad terminal cluster. Common plant of moist to wet lake edges and moist to mesic forests. Excellent butterfly plant and cutflower. Ranges throughout MN and WI.	.	.		
<i>Astragalus canadensis</i> Canada Milk-vetch	White June to Aug	24- 42"	Prairie Lake Edge Woodland	full sun to part shade	Quick growing plant of semi-shaded habitats, particularly at forest and lake edges. Adapted to soils ranging from dry to moist.	.	.		
<i>Astragalus crassicaarpus</i> Ground Plum	Purple May to June	6-15"	Prairie Savanna	full to part sun	Low, spreading plants of dry, rocky prairies. Great pods follow beautiful purple flowers in spring. Perfect for rock gardens. Widespread in MN from SE to NW. Restricted to far western WI.		.		
<i>Baptisia alba</i> White Wild Indigo	White June to Aug	30- 42"	Prairie Marsh Lake Edge	full to part sun	Legume of moist to wet prairies and lake edges. Attractive foliage and flowers followed by pods. Nice in perennial gardens.		.		
<i>Baptisia australis</i> Blue False Indigo	Blue June to July	30- 42"	Prairie Savanna	full to part sun	Stately perennial with glossy foliage and beautiful sky blue flower clusters. Excellent garden perennial. Native south of our range but tough enough for restorations here in NW WI.		.		
<i>Boltonia asteroides</i> White False Aster	White Aug to Oct	40- 60"	Prairie Marsh Swamp	full to part sun	Awesome tall plant covered with white/yellow daisies in the fall. Great cutflower and clearly a butterfly magnet. Nice background plant for perennial gardens.	.	.		

	Flowers	Ht.	Habitat	Light	Description	4Pack	2" Pot	4.25" Pot	Gallon +
<i>Cacalia atriplicifolia</i> Pale Indian Plantain	White July to Sept	24-36"	Prairie Savanna Woodland	full sun to part shade	Broad white heads above attractive greyish foliage. Native in southern third of WI.	•	•		
<i>Campanula rotundifolia</i> Harebell	Blue June to Sept	16-24"	Prairie Savanna Woodland	full sun to part shade	Blue bell-shaped flowers atop delicate, grassy foliage. Great plant for restorations. Common throughout WI in all dry habitats. Shade-tolerant.	•	•		
<i>Chelone glabra</i> Turtlehead	White July to Oct	24-36"	Lake Edge Peatland	full sun to part shade	Spikes of showy turtle-shaped flowers atop glossy dark green foliage. Nice for gardens and lake edge restorations. Widespread in MN and WI.	•	•		
<i>Coreopsis lanceolata</i> Lance Leaf Coreopsis	Yellow June to Aug	24-36"	Dry Prairie Savanna	full sun to part shade	Wiry stems bearing yellow daisies. Easy to grow on toughest, driest soil types. Very good butterfly plant.	•	•		
<i>Coreopsis palmata</i> Prairie Coreopsis	Yellow June to Oct	16-30"	Dry Prairie Savanna	full sun to part shade	Yellow daisies above ferny foliage. Native of driest prairies and bluff communities throughout southern 2/3 of MN and WI. Good for butterflies.	•	•		
<i>Cornus canadensis</i> Bunch Berry	White May to June	4-10"	Forest Swamp	part sun to shade	Creeping groundcover with very showy clusters of orange berries in summer. Slow growing but a must-have for woodland restoration and wildflower gardens.			•	
<i>Dalea candida</i> White Prairie Clover	White June to Sept	16-30"	Dry Prairie Savanna	full to part sun	Dense 2" clusters of small white flowers atop grayish ferny foliage. Very attractive perennial for prairie and savanna restorations as well as perennial gardens.	•	•		
<i>Dalea purpurea</i> Purple Prairie Clover	Purple June to Sept	16-30"	Dry Prairie Savanna	full to part sun	Similar to <i>Dalea candida</i> but with purple flowers. Both species are excellent butterfly plants. Used as tea by Native Americans.	•	•		
<i>Desmodium canadense</i> Showy Tick Trefoil	Lavender June to Sept	24-36"	Prairie Savanna Woodland	full sun to part shade	Widely adapted perennial legume that flowers over a long period. Open, spreading stems dance nicely in the breeze. Good for woodland habitats. Tolerates dry to moist sites.	•	•		
<i>Echinacea angustifolia</i> Narrow-Leaf Purple Coneflower	Lavender July to Aug	24-36"	Prairie Savanna	full to part sun	Said to be the best of the purple coneflowers for medicinal purposes. Native in Western MN and further west, but hardy in this area. Very attractive with narrow leaves.	•	•		
<i>Echinacea pallida</i> Pale Purple Coneflower	Lavender July to Aug	24-36"	Prairie Savanna	full to part sun	Only echinacea species definitely native to WI. Nice narrow foliage. Heads have reflexed rays ("petals"). Can't beat these for butterflies.	•	•		
<i>Echinacea purpurea</i> Purple Coneflower	Purple July to Aug	24-36"	Prairie Savanna	full to part sun	Spectacular display of broad-headed purple daisies. Native at least to Northern IL. Great for restorations and perennial gardens.	•	•		
<i>Eryngium yuccifolium</i> Rattlesnake Master	White July to Oct	28-42"	Prairie Savanna	full to part sun	Exotic-looking plant that resembles a desert yucca. Bristly white heads and whitish foliage make it a great background perennial as well as a tough fast grower for restorations.	•	•		
<i>Eupatorium maculatum</i> Spotted Joe-Pye Weed	Purple July to Sept	24-48"	Wet Prairie Marsh Swamp	full sun to part shade	Good lake edge perennial with broad flat-topped clusters of purple heads. Excellent butterfly plant. Ranges throughout MN and WI.	•	•		
<i>Eupatorium perfoliatum</i> Boneset	White June to Aug	24-42"	Prairie Marsh Swamp	full sun to part shade	Nice lake edge plants with flat-topped cluster of white heads. Very nice purplish foliage with opposite fused leaves. Used medicinally to hasten healing of bones. Ranges throughout MN and WI.	•	•		
<i>Eupatorium purpureum</i> Purple Joe Pye Weed	Purple July to Sept	24-36"	Savanna Woodland Forest	part sun to shade	Moist to moderately dry savannas and forests through southern 2/3 of WI and eastern 1/2 of MN. Very attractive broad clusters of purple heads. Excellent for attracting butterflies.	•	•		
<i>Eupatorium rugosum</i> White Snakeroot	White July to Sept	24-36"	Savanna Woodland Forest	full sun to shade	A widely adapted species primarily of disturbed woodlands and forests. Tolerant of wet to dry conditions. Found throughout WI and southern MN.	•	•		
<i>Fragaria vesca</i> Woodland Strawberry	White May to June	6-10"	Prairie Forest	full sun to shade	Attractive groundcover that grows rapidly. A must for the woodland restoration. Sweet tasting red fruits in June are a bonus. Ranges throughout the world in northern latitudes including all of MN and WI.	•	•		
<i>Gaillardia aristata</i> Gaillardia Blanket Flower	Yellow/Red June to Sept	16-30"	Prairie Savanna	full to part sun	Many 3" heads with clawed yellow/red striped ray petals. Great for cutting and butterflies. Native in NW MN and further west, but well-adapted to dry prairies in our area.	•	•		
<i>Galium boreale</i> Northern Bedstraw	White June to July	16-24"	Woodland Forest	full sun to full shade	Common understory species of northern forests in MN & WI. Easy to grow on mesic to dry soils.	•	•		

	Flowers	Ht.	Habitat	Light	Description	4Pack	2" Pot	4.25" Pot	Gallon +
<i>Gaultheria procumbens</i> Wintergreen	Pink May to June	6"	Forest	part sun to shade	Evergreen groundcover with persistent red berries. A must for the woodland garden or restoration. Leaves used in teas. Wide-ranging in MN and WI.			•	
<i>Gentiana alba</i> White Bottle Gentian	White Aug to Oct	18-30"	Prairie Marsh Lake Edge	full to part sun	Very nice white bottle-shaped flowers. Tolerant of drier conditions than blue gentian and equally beautiful. First year plants require extra attention.		•		
<i>Gentiana andrewsii</i> Blue Bottle Gentian	Blue Aug to Oct	18-30"	Prairie Marsh Lake Edge	full to part sun	Beautiful slow-growing perennial with 3" bottle shaped flowers at top of stems. Blooms in second year if competition is minimized. Awesome blue fall color. Small first year seedlings require extra attention.		•		
<i>Geranium maculatum</i> Wild Geranium	Pink May to June	18"	Woodland Savanna Forest	full to part shade	Tolerant to all soils and woodland conditions except deeply shaded situations. Nice perennial geranium with attractive foliage that turns red in fall.			•	
<i>Geum triflorum</i> Prairie Smoke	Red May to June	6-12"	Dry Prairie Woodland	full to part sun	Awesome early-flowering prairie wildflower, great for sandy site restorations and for rock gardening. Hairy fruits remain attractive throughout the year.		•		
<i>Helenium autumnale</i> Sneezeweed	Yellow July to Oct	30-48"	Swamp Lake Edge	full sun to shade	Sneezeweed won't make you sneeze - it was used as an expectorant by Native Americans. Gaillardia -like heads in abundance. Good butterfly plant.	•	•		
<i>Helianthus grosseserratus</i> Sawtooth Sunflower	Yellow July to Oct	48-96"	Swamp Prairie Lake Edge	full sun to part shade	A stately sunflower producing an abundance of heads which attract butterflies in flower and finches in fruit.	•	•		
<i>Helianthus maximiliani</i> Maxmillian Sunflower	Yellow Aug to Oct	72"+	Swamp Prairie Lake Edge	full to part sun	Great background plant for the perennial garden. A must for bird and butterfly gardens. Native to a wide variety of habitats throughout MN and into western WI.	•	•		
<i>Helianthus occidentalis</i> Western Sunflower	Yellow July to Sept	24-36"	Prairie Savanna Woodland	full sun to part shade	A component of dry habitats through much of WI. Bears several yellow heads on top of mostly leafless flower stalks.		•		
<i>Helianthus strumosus</i> Woodland Sunflower	Yellow July to Oct	36-48"	Woodland Forest	full sun to part shade	Very common woodland sunflower seen at the edge of forests and ditches. Variable but showy with terminal yellow heads. Birds eat seeds. Excellent soil stabilizer. Throughout WI and southern 2/3 of MN.	•	•		
<i>Heliopsis helianthoides</i> False Sunflower	Yellow June to Oct	24-42"	Prairie Savanna Lake Edge	full to part sun	Widespread on dry to wet soils. Long flowering period. Suited to all but very shady restoration sites. Commonly used as a garden perennial.	•	•		
<i>Hepatica americana</i> Rounded Hepatica	White / Lavender April to May	6"	Deciduous Northern Forest	part shade to shade	One of the earliest blooming wildflowers. Forms very attractive clumps with glossy green evergreen three-lobed liver-shaped leaves. Highly recommended for woodland gardens and shady restorations. Widespread throughout MN and WI.			•	
<i>Heuchera richardsonii</i> Alum Root	White May to July	12-18"	Prairie Savanna Woodland	full sun to part shade	Common through most of WI and MN. Attractive, tough ground cover well suited to dry soils. Quite shade-tolerant. Usually associated with rock outcrops in prairies, woodlands, and forests.	•	•		
<i>Iris versicolor</i> Northern Blue Flag Iris	Blue June to July	24-36"	Marsh Peatland Lake Edge	full to part sun	Common on lake margins throughout northern WI and MN. Very attractive, forming large clumps. Some consider this to be synonymous with <i>Iris virginica</i> .		•	•	
<i>Lespedeza capitata</i> Bush Clover	White July to Oct	24-36"	Prairie Savanna Woodland	full sun to part shade	Rather inconspicuous flowers in dense terminal cluster. Brown fruit clusters make it attractive for winter gardening. Great for sandy site restorations.	•	•		
<i>Liatris aspera</i> Rough Blazing Star	Purple July to Sept	18-36"	Prairie Savanna Woodland	full to part sun	Beautiful purple spikes. Most common liatris of dry, sandy prairies throughout MN and WI. Excellent butterfly plant.	•	•		
<i>Liatris cylindracea</i> Dwarf Blazing Star	Purple July to Oct	8-24"	Dry Prairie Savanna	full to part sun	Unique dwarf blazing star of extremely dry, sandy soils throughout most of the prairie regions of MN and WI. Good garden specimen in well-drained soil.	•	•		
<i>Liatris ligulistylis</i> Northern Plains Blazing Star	Purple July to Aug	24-42"	Prairie Savanna	full to part sun	Rosy heads appear in abundance on tall spikes. Beautiful plant among the best to attract butterflies. OK on wet and dry soils.	•	•		
<i>Liatris pycnostachya</i> Thick Spike Blazing Star	Purple July to Sept	24-36"	Prairie Marsh Lake Edge	full to part sun	Dense purple spikes. Good for moist and wet restoration sites. Very showy, good butterfly plant. Ranges throughout prairie regions of MN and WI.	•	•		

	Flowers	Ht.	Habitat	Light	Description	4Pack	2" Pot	4.25" Pot	Gallon +
<i>Liatriis spicata</i> Marsh Blazing Star	Purple July to Aug	24-36"	Prairie Marsh Lake Edge	full to part sun	Most common liatriis for perennial gardening. Grows well in any condition. Perfect pollinator plant. Native into SE WI. Moist to wet soils.	•	•		
<i>Lobelia cardinalis</i> Cardinal Flower	Red July to Oct	36-48"	Prairie Marsh Lake Edge	full sun to part shade	Showy spikes of red flowers are the best for attracting hummingbirds. Suited to moist soils particularly along waterways. Native through most of WI.	•	•		
<i>Lobelia siphilitica</i> Great Blue Lobelia	Blue July to Oct	20-30"	Marsh Peatland Swamp	full sun to part shade	Widely adapted to wet and moist soils. Vivid blue and white-striped flowers in terminal spikes. Compact and well suited to perennial gardens.	•	•		
<i>Lupinus perennis</i> Wild Blue Lupine	Blue May to July	16-24"	Prairie Savanna	full to part sun	Vivid blue flowers in tall spikes. Very compact. Good in perennial gardens. Suited to dry sunny sites. Host plant for threatened Karner Blue butterfly. First year plants are small, requiring extra care.	•	•		
<i>Mertensia virginiana</i> Virginia Bluebells	Blue May to June	18-24"	Woodland Forest	part to full shade	Clusters of bell-shaped blue flowers in spring. Nice woodland wildflower. Dies back by midsummer, but are plantable while dormant.			•	
<i>Mimulus ringens</i> Monkeyflower	Lavender July to Sept	18-24"	Marsh Lake Edge Swamp	full sun to part shade	Lavender spikes of 1" snapdragon flowers that look like small monkeys. Compact plants. Excellent for lakescaping.	•	•		
<i>Monarda fistulosa</i> Bergamot	Lavender July to Aug	36-48"	Prairie Savanna Woodland	full sun to part shade	One of the most common and widespread native wildflowers. Good in herbal teas. Used medicinally by Native Americans. Moist to dry soils.	•	•		
<i>Monarda punctata</i> Dotted Mint	Lavender June to Sept	18-30"	Prairie Savanna	full to part sun	Fragrant herb with showy dotted multicolored leaves below flowers. Good on dry soils. Used medicinally and in herbal teas. Nice cutflower.	•	•		
<i>Parthenium integrifolium</i> Wild Quinine	White June to July	24-36"	Prairie Savanna Woodland	full sun to part shade	Attractive plant with unique foliage. Once commercially exploited as a source of quinine. Native of dry and mesic habitats and a variety of light conditions. Its northern range is into southern WI.	•	•		
<i>Penstemon digitalis</i> Smooth Penstemon	White June to July	24-30"	Prairie Savanna Woodland	full sun to part shade	1.5" white tubular flowers in tall spikes. Good garden perennial and cutflower. Tolerant of dry and mesic soils and a variety of light conditions.	•	•		
<i>Penstemon grandiflorus</i> Large Flowered Beard-tongue	Lavender June to July	24-36"	Prairie Savanna Woodland	full sun to part shade	Huge trumpet shaped flowers in spikes above glossy leaves. Very attractive in prairies and perennial gardens. Adapted to dry, sandy soil.		•		
<i>Phlox divaricata</i> Woodland Phlox	Blue June to July	12-18"	Forest	part sun to shade	Beautiful fragrant spring wildflower occurring in forests ranging from mesic to floodplain. Excellent for shady restorations and gardens.			•	
<i>Phlox pilosa</i> Prairie Phlox	Pink May to June	18-24"	Prairie Savanna	full to part sun	Broad heads of deep pink flowers. Very nice wildflower for restorations and perennial gardens.		•		
<i>Physostegia virginiana</i> Obedient Plant	Pink July to Oct	24-36"	Prairie Marsh Swamp	full sun to part shade	Popular garden perennial native to moist prairies, lakeside and streamside wetlands.	•	•		
<i>Polemonium reptans</i> Jacob's Ladder	Blue May to June	18"	Woodland Forest	part sun to full shade	Beautiful spring woodland wildflower. Ferny leaves resemble a ladder. A must for woodland gardens and restorations.		•		
<i>Pycnanthemum virginianum</i> Mountain Mint	White July to Sept	24-36"	Prairie Marsh Swamp	full sun to part shade	Fine leaved mint of wet prairies and wetlands. Very attractive foliage. Good for perennial gardens as well as lake edge restorations.	•	•		
<i>Ratibida columnifera</i> Prairie Coneflower	Yellow or Red July to Sept	12-20"	Prairie Savanna	full to part sun	Native to central and western portions of the Great Plains including western MN. Low growing plant of dry prairies. Very attractive heads. Red form called "Mexican Hat."	•	•		
<i>Ratibida pinnata</i> Yellow Coneflower	Yellow July to Oct	24-52"	Prairie Savanna	full to part sun	One of the more common native prairie wildflowers. Very attractive to butterflies. Greyish foliage makes this a nice contrast plant.	•	•		
<i>Rudbeckia fulgida</i> Orange Coneflower	Orange- Yellow July to Oct	24-36"	Fen Marsh Lake Edge	full to part sun	Beautiful compact coneflower with deep green foliage and 3" orange-yellow heads with brown centers. Parent of 'goldsturm', one of the most popular garden perennials.	•	•		
<i>Rudbeckia hirta</i> Black Eyed Susan	Yellow June to Oct	24-36"	Prairie Savanna	full to part sun	Very common short-lived perennial occurring in a wide range of habitats. Produces lots of color the first year.	•	•		
<i>Rudbeckia laciniata</i> Wild Goldenglow	Yellow July to Sept	36-48"	Prairie Swamp Lake Edge	full sun to part shade	Found throughout WI, primarily in swamp habitats and along lakes and streams, but also in prairies. Good for moist, shaded restoration sites.	•	•		

	Flowers	Ht.	Habitat	Light	Description	4Pack	2" Pot	4.25" Pot	Gallon +
<i>Rudbeckia subtomentosa</i> Sweet Black Eyed Susan	Yellow July to Sept	24-36"	Prairie Stream Edge	full to part sun	Very attractive yellow heads in profusion atop deep green glossy leaves. Good for restorations and perennial gardens. Native into SW WI.	•	•		
<i>Rudbeckia triloba</i> Brown Eyed Susan	Yellow July to Oct	24-36"	Prairie Marsh Swamp	full sun to part shade	Outstanding coneflower with numerous heads which are smaller than other species, but more abundant. Very nice foliage. Should be grown more widely in perennial beds. Mesic to wet soils.	•	•		
<i>Ruellia humilis</i> Wild Petunia	Pink June to Sept	12"	Prairie	full sun	Very nice low growing perennial. Great in the front of a border. Native to dry prairies as far north as Southern WI.		•		
<i>Silene regia</i> Royal Catchfly	Red June to Oct	18-24"	Prairie Savanna	full sun to part shade	Deep red tubular flowers flaring out into a star. Excellent hummingbird plant and garden perennial. Native just south of MN and WI, but hardy in the north.	•	•		
<i>Silphium integrifolium</i> Rosinweed	Yellow June to Sept	24-36"	Prairie Savanna	full to part sun	Wet to dry prairies. Range includes southern half of WI. Attractive sunflower heads. Glossy resinous foliage.	•	•		
<i>Silphium laciniatum</i> Compass Plant	Yellow July to Aug	48-96"	Prairie Savanna	full to part sun	Awesome tall sunflower with broad, highly divided basal leaves. Heads track the sun. Very cool plant. Excellent for attracting finches.	•	•		
<i>Silphium perfoliatum</i> Cup Plant	Yellow July to Sept	48-72"	Prairie Marsh Lake Edge	full sun to part shade	Impressive sunflower with numerous broad yellow heads. Unusual opposite leaves fuse to make cups which collect water for bird bathing. Birds love it!	•	•		
<i>Silphium terebinthinaceum</i> Prairie Dock	Yellow July to Sept	48-72"	Prairie	full sun	Unusual, huge toothed basal leaves make this worth growing, even when it doesn't flower. Lots of sunflower heads produce seeds that attract birds.	•	•		
<i>Smilacina racemosa</i> False Solomon Seal	White May to June	18-24"	Forest	full to part shade	Two-foot tall leafy stemmed lily with a terminal cluster of small white flowers, each of which becomes a red berry. Found through forest regions of MN and WI.			•	
<i>Solidago flexicaulis</i> Zig Zag Goldenrod	Yellow Aug to Sept	24"	Woodland Forest	part to full shade	Good woodland perennial for restorations. Unique zig-zag stems with scattered yellow heads. Very different than most goldenrods. Moist to mesic soils.	•	•		
<i>Solidago nemoralis</i> Grey Goldenrod	Yellow July to Sept	24"	Prairie Savanna	full sun to part shade	Dry prairies to woodlands throughout MN and WI. Excellent species for dry site restorations.	•	•		
<i>Solidago ohioensis</i> Ohio Goldenrod	Yellow Aug to Sept	36-42"	Prairie Wetland	full sun	Attractive flat-topped heads. Suitable for moist to wet lake edge restorations. Very good butterfly plant.	•	•		
<i>Solidago rigida</i> Stiff Goldenrod	Yellow Aug to Sept	24-36"	Prairie Savanna Lake Edge	full to part sun	Another goldenrod worthy of growing for its very attractive foliage. Topped with a broad, flat cluster of yellow heads. Adapted to mesic and moist soils. Good garden perennial.	•	•		
<i>Solidago speciosa</i> Showy Goldenrod	Yellow Aug to Sept	24-36"	Prairie Savanna	full sun to part shade	Highly recommended for restorations and for perennial gardens. Very showy tall heads above glossy green foliage. Great butterfly plant.	•	•		
<i>Thalictrum dasycarpum</i> Purple Meadow Rue	White to Pink June to July	40-50"	Prairie Lake Edge Swamp	full sun to part shade	Beautiful dark green, highly divided, columbine-like foliage with open sprays of frilly flowers. Excellent for moist to wet sites in all but fully shaded light levels.	•	•		
<i>Thalictrum dioicum</i> Early Meadow Rue	White May to June	24"	Woodland Forest	part to full shade	Nice woodland wildflower for all but the driest sandy soils. Pretty flower heads held above columbine-like foliage. Nice in the shaded perennial garden.			•	
<i>Tiarella cordifolia</i> Foamflower	White May to June	12"	Deciduous Forest	part sun to full shade	Woodland wildflower of maple forests with attractive foliage and terminal clusters of white flowers. Rare in east central MN and eastern WI, but hardy throughout.			•	
<i>Tradescantia bracteata</i> Prairie Spiderwort	Blue June to Aug	18-30"	Prairie Savanna	full to part sun	Attractive clump-forming plant topped with showy blue flowers for much of the summer. Adapted to most mesic and dry prairie regions of MN and western WI.		•		
<i>Tradescantia ohioensis</i> Ohio Spiderwort	Blue June to Oct	24-48"	Prairie Savanna Woodland	full sun to part shade	Forms large clumps creating a very nice display of 1" flowers in heads on top of each stem. Great for restorations and gardens. Moist to dry soils.		•		
<i>Trillium grandiflorum</i> Trillium	White May	8-12"	Deciduous Forest	part shade to shade	Spectacular 2" white 3-petaled flowers in May. This harbinger of spring will let you know that winter is finally over! Widespread in WI and MN forests.			•	
<i>Uvularia grandiflora</i> Yellow Bellwort	Yellow May to June	12"	Deciduous Forest	part shade to shade	One of the nicest spring woodland wildflowers with nodding bell-shaped yellow flowers. Widespread in forests throughout MN and WI.			•	

	Flowers	Ht.	Habitat	Light	Description	4Pack	2" Pot	4.25" Pot	Gallon +
<i>Verbena hastata</i> Blue Vervain	Blue June to Sept	36-48"	Prairie Marsh Swamp	full sun to part shade	Tall spikes of blue flowers really attract butterflies. Great for shoreland restorations on mesic to saturated soils. Throughout MN and WI.	•	•		
<i>Verbena stricta</i> Hoary Vervain	Blue June to Sept	24-36"	Prairie Savanna Woodland	full sun to part shade	Spikes of blue flowers above greyish foliage. Adapted to dry, sandy soils. Good butterfly plant.	•	•		
<i>Vernonia fasciculata</i> Ironweed	Rose-Pink July to Sept	24-42"	Prairie Marsh Swamp	full sun to part shade	Broad, flat clusters of pink heads to 5" across. Very attractive to butterflies. Good in moist to wet soils for lake edge landscaping. Wide ranging in MN and WI.	•	•		
<i>Veronicastrum virginianum</i> Culver's Root	White June to Sept	36-54"	Prairie Savanna Woodland	full sun to part shade	Several tall showy spikes on top of each stem make this an excellent tall garden perennial. Attracts butterflies. Good in most soils except extremely dry.	•	•		
<i>Zizia aptera</i> Heart-leaf Golden Alexanders	Yellow May to June	18-30"	Prairie Savanna	full sun to part shade	Closely resembles <i>Zizia aurea</i> except for shape of young leaves. Throughout MN and SE to NW WI. Nice for early summer flowers.	•	•		
<i>Zizia aurea</i> Golden Alexanders	Yellow May to July	18-30"	Prairie Savanna Woodland	full sun to part shade	Early-flowering plant of mesic to moist habitats with 3" flat-topped heads of yellow flowers. Seed heads that follow are attractive throughout the year.	•	•		

Grasses, sedges, and rushes

<i>Acorus calamus</i> Sweet Flag	Yellow July to Aug	36"	Marsh Peatland Lake Edge	full sun to part shade	Unusual plant with attractive yellowish foliage and sweet fragrance when crushed. Forms beautiful clumps on lake margins. Great for water gardens.	•	•		
<i>Andropogon gerardii</i> Big Bluestem	Purplish Green July to Sept	36-72+"	Prairie Savanna Woodland	full sun to part shade	One of the most dominant tall prairie grasses. Purplish foliage creates a nice effect along with turkey-foot-like flower head. Dry to moist habitats.	•	•		
<i>Bouteloua curtipendula</i> Side Oats Grama	Red-Green July to Sept	18-30"	Prairie Savanna Woodland	full sun to part shade	Very common species of dry to mesic habitats. Stamens are red, making them beautiful cutflowers when fresh. A must for any open dry site restoration.	•	•		
<i>Bouteloua gracilis</i> Blue Grama	Purplish Green July to Sept	12"	Prairie Savanna	full to part sun	Native through the central Great Plains into western WI. Very good lawn alternative. Low growing, forming attractive clumps.	•	•		
<i>Bromus ciliatus</i> Fringed Brome	Green June to July	24-36"	Prairie Wetland Forest	full sun to shade	Widely adapted species of habitats from saturated wetlands to mesic upland forests and roadsides. Very good grower for shady restoration sites. Found throughout MN and WI.	•	•		
<i>Bromus kalmii</i> Kalm's Brome	Green June to July	24-36"	Prairie Savanna Woodland	full sun to part shade	Widely adapted to habitats ranging from dry prairie to swampy thickets. Rapidly growing rhizomatous species. Very common in dry sand barren, open pine, and oak woodlands.	•	•		
<i>Calamagrostis canadensis</i> Blue Joint Reedgrass	Straw July to Aug	36-48"	Prairie Marsh Swamp	full sun to part shade	Fine-leaved grass forms a dense cover on lake margins. One of the grasses displaced by reed canary grass and a good one to plant after nuking RCG. Purplish foliage.	•	•		
<i>Carex bebbii</i> Bebb's Sedge	Green May to June	24-36"	Marsh Swamp Lake Edge	full sun to part shade	Forms dense clumps on moist to saturated soil. Very common in most wetland areas throughout MN and WI.	•	•		
<i>Carex bicknellii</i> Bicknell's Sedge	Tan May to June	12-24"	Dry to Wet Prairie Savanna	full to part sun	Sedge adapted to habitats ranging from dry to moist, usually on rocky, gravelly soil. Forms nice clumps. Found throughout southern 2/3 of MN and WI.	•	•		
<i>Carex comosa</i> Bottlebrush Sedge	Green May to June	24-42"	Marsh Peatland Lake Edge	full sun to part shade	Beautiful clumps of yellowish stems on lake margins. Nodding flower spikes look like a bottlebrush. Excellent for restorations and water gardens.	•	•		
<i>Carex crinita</i> Caterpillar Sedge	Green May to June	30-42"	Marsh Swamp Lake Edge	full sun to part shade	Clump-forming. 4" nodding spikes resemble a caterpillar. Very nice for wet site restorations and for water gardens. Excellent for control of shoreland erosion.	•	•		
<i>Carex hystericina</i> Porcupine Sedge	Green May to June	24-42"	Swamp Marsh Lake Edge	full sun to part shade	Very similar to <i>Carex comosa</i> . Very attractive plants for shoreland restorations and water gardening.	•	•		
<i>Carex lacustris</i> Lake Sedge	Green May to June	30-48"	Marsh Swamp Lake Edge	full sun to part shade	Coarse, rhizomatous sedge with attractive bluish foliage. Forms large stands on peaty lake edges with saturated to slightly inundated soil. Excellent for erosion control.		•		
<i>Carex lupulina</i> Hop Sedge	Green May to June	24-42"	Swamp Marsh Lake Edge	full sun to part shade	Flower spikes resemble hops clusters. Stout-stemmed clump former of a wide variety of wet habitats, including shady swamps. Very good for shady rain gardens.	•	•		

	Flowers	Ht.	Habitat	Light	Description	4Pack	2" Pot	4.25" Pot	Gallon +
<i>Carex pennsylvanica</i> Pennsylvania Sedge	Brown May	6-8"	Dry to Mesic Forest	full sun to full shade	Outstanding, low, clump-forming graminoid with yellow-green foliage. Forms extensive stands in northwoods forests that are extremely attractive. A must for forest restorations in northern MN and WI.		.		
<i>Carex sprengelii</i> Long Beaked Sedge	Green June to July	18"	Woodland Forest	part sun to full shade	Clump forming sedge of mesic to moist forests and stream sides. Very attractive plants with nodding spikes. Good for forest restorations.		.		
<i>Carex stipata</i> Awl Fruit Sedge	Green May to June	16- 40"	Swamp Marsh Lake Edge	full sun to full shade	Common, coarse clump forming sedge found in a wide variety of wet habitats throughout MN and WI. Very good fast grower. Shade tolerant species.		.		
<i>Carex vulpinoidea</i> Fox Sedge	Green May to June	18- 30"	Swamp Marsh Lake Edge	full sun to part shade	Beautiful clump-forming sedge of lake and wetland margins. Very attractive multi-tiered flower spikes persist through the summer and into the fall.	.	.		
<i>Danthonia spicata</i> Poverty Oat Grass	Tan June	12"	Dry Prairie Dry Forest	full sun to shade	A very common grass of tough habitats. Found throughout MN and WI on the driest gravelly and rocky soils in full sun to full shade. Excellent species for revegetating degraded soils in the north.	.	.		
<i>Elymus canadensis</i> Canada Wild Rye	Green July to Aug	36- 48"	Prairie Savanna Lake Edge	full sun to part shade	Very good cover crop for restorations. Grows rapidly, binding exposed soil. Attractive inflorescences. Tolerates soils ranging from wet to dry.	.	.		
<i>Elymus hystrix (patula)</i> Bottlebrush Grass	Green June to July	36- 48"	Forest Woodland Lake Edge	full sun to full shade	Clump forming grass with tall spikes topped with an inflorescence that looks like a bottlebrush. A must for forest restorations and shady perennial gardens.	.	.		
<i>Glyceria striata</i> Fowl Manna Grass	Green July to Aug	24- 36"	Forest Swamp Lake Edge	full sun to full shade	Low clump forming grass common next to small pools in swamps, in moist to seasonally wet forests, and along waterways.	.	.		
<i>Hierochloa odorata</i> Sweet Grass	Green May to June	12- 24"	Lake Edge Prairie Marsh	full sun to part shade	Widespread in MN and WI mostly on wetland margins on moist to wet soils. Sacred plant for Native Americans, used for braiding and basket-weaving. Revered for its sweet, aromatic vanilla-like fragrance.		.		
<i>Juncus effusus</i> Soft Rush	Brown July to Aug	24- 48"	Swamp Marsh Lake Edge	full sun to part shade	Deep green wirey stems in large clumps along waterways and in a variety of wetlands. Evergreen plants remain attractive into winter.	.	.		
<i>Juncus tenuis</i> Path Rush	Brown June to July	to 16"	Wetland Lake Edge	full sun to part shade	Very common, widespread plant of wet places throughout MN and WI. Nice for restoration site margins. Easy to grow. Forms attractive clumps.	.	.		
<i>Koeleria macrantha</i> June Grass	Green June to July	12- 24"	Prairie Savanna Woodland	full sun to part shade	Clump-forming grass, most commonly associated with dry sandy soils. Low-grower suitable for edging native restoration plantings.	.	.		
<i>Panicum virgatum</i> Switch Grass	Purple June to Oct	36- 96"	Prairie Swamp Lake Edge	full to part sun	Fast growing clump former with attractive open inflorescence. Suited to soils ranging from mesic to wet. Good for steep banks and slopes.	.	.		
<i>Schizachyrium scoparium</i> Little Bluestem	Amber July to Sept	18- 36"	Prairie Savanna Woodland	full sun to part shade	Fabulous ornamental grass native to dry, sandy to mesic habitats throughout the region. Amber foliage maintains color through winter. Forms neat clumps.	.	.		
<i>Scirpus atrovirens</i> Green Bulrush	Brown June to July	36- 48"	Marsh Swamp Lake Edge	full sun to part shade	Coarse clump forming plant with nice clusters of small brown heads. Suitable for wet shoreland zones.	.	.		
<i>Scirpus cyperinus</i> Wool Grass	Brown June to July	36- 48"	Marsh Swamp Lake Edge	full sun to part shade	Coarse clump former with brown fuzzy heads that appear wooly. One of the most common lake edge species throughout the region.	.	.		
<i>Sorghastrum nutans</i> Indian Grass	Amber July to Sept	48- 72"	Prairie Savanna Woodland	full sun to part shade	Clump-forming grass of dry, sandy to moist habitats. Very ornamental and suitable for the back of perennial borders. Great plant for a wide range of habitats.	.	.		
<i>Spartina pectinata</i> Prairie Cordgrass	Yellow Aug to Oct	48- 72"	Prairie Marsh Lake Edge	full to part sun	Rhizomatous grass forming large clumps in sandy soil, usually near the water table, although sometimes under dry conditions. Very common shoreland plant in northern WI and MN.	.	.		
<i>Sporobolus heterolepis</i> Prairie Dropseed	Green Aug to Oct	18- 36"	Prairie Savanna	full to part sun	Clump former with open, fine sprays of flowers. Popular as a garden perennial. Native to dry and mesic prairies throughout the region.	.	.		

	Flowers	Ht.	Habitat	Light	Description	4Pack	2" Pot	4.25" Pot	Gallon +
Ferns									
<i>Adiantum pedatum</i> Maidenhair Fern		24"	Forest Swamp	part to full shade	Graceful stems with soft highly divided leaves in a U-shaped pattern. Slow-starting but eventually forms nice clumps. Moist to wet forests.			•	
<i>Athyrium felix-femina</i> Lady Fern		36"	Forest Swamp	part to full shade	Semi-spreading lime green highly divided leaves make this a very useful ground cover for shady restorations and gardens.			•	
<i>Dryopteris marginalis</i> Leatherwood Fern (Eastern Wood Fern)		20"	Forest Swamp	part to full shade	Blue-green highly divided fronds. Semi-spreading, attractive ornamental fern.			•	
<i>Dryopteris spinulosa</i> Toothed Wood Fern		24-36"	Forest Swamp	part to full shade	Semi-evergreen, highly divided yellowish-green fronds. Mesic to wet soils.			•	
<i>Matteuccia struthiopteris</i> Ostrich Fern		48"	Forest Swamp	part to full shade	Very attractive with divided, elongate fronds held erect. Unusual fertile fronds emerge from the center in early summer and remain attractive through winter.			•	
<i>Onoclea sensibilis</i> Sensitive Fern		12-24"	Forest Swamp	part sun to full shade	Unusual fern with broad green fronds and separate brown fertile fronds that are attractive year-round. Good for water gardens.			•	
<i>Osmunda cinnamomea</i> Cinnamon Fern		24-36"	Forest Swamp Marsh	full sun to full shade	Very sun tolerant if always moist as in a water garden. Nice semi-erect fronds. Fertile fronds emerge from center and look like a bunch of cinnamon sticks.			•	
<i>Osmunda claytoniana</i> Interrupted Fern		30-48"	Forest Swamp Marsh	full sun to full shade	Unusual fern with fertile portion of leaves in the middle of central leaves. Extremely showy in the spring and holds up nicely through the summer. Widely adapted to various soil			•	
<i>Osmunda regalis</i> Royal Fern		24-36"	Forest Swamp Marsh	full sun to full shade	Unique fern not even recognized as a fern by many. Excellent for lakescaping and water gardens. Highly attractive foliage.			•	
Trees and shrubs									
<i>Abies balsamifera</i> Balsam Fir	none	to 75'	Northern Forest Swamp	full sun to part shade	Mid-to late-successional tree of the northwoods, occasionally in swamps to the south. Nice landscape tree for island planting, excellent Christmas tree. Mesic to moist soil.			•	•
<i>Amelanchier laevis</i> Serviceberry / Juneberry	White April to May	to 12'	Forest Fields Clearcuts	full sun to part shade	One of the earliest flowering shrubs. Stays lower with pruning. Bears bluish purple berries that are edible and attractive to wildlife. Dry to moist soils.			•	•
<i>Amelanchier stolonifera</i> Running Serviceberry	White April to May	2-5'	Prairie Savanna Woodland	full sun to part shade	Spreading clump-former of open habitats, cliffs, and clearcuts. Lowest-growing of the serviceberries. Deep purple fruit appears in July and August and is usually of excellent quality. Ranges throughout most of WI and Eastern MN.				•
<i>Aronia melanocarpa</i> Chokeberry	White May	to 6'	Lake Edge Forest Swamp	full to part sun	Very attractive spreading shrub of the rose family. Nice clusters of white flowers followed by black berries. Deep red fall foliage. Excellent for wet lake edge plantings. Mesic to wet soil.			•	•
<i>Betula allegheniensis</i> Yellow Birch	Brown April to May	60-90'	Riparian and Mixed Forest	full sun to part shade	Easy to grow birch with copper to gold peeling bark. Nice foliage. Twigs taste like wintergreen. Most common in north. Long-lived, mesic to wet soils.				•
<i>Betula nigra</i> River Birch	Brown April to May	60-90'	Riparian Forest Lake Edge	full sun to part shade	Cinnamon to reddish peeling bark. Long lived and disease resistant. A very nice tree for shoreland restorations on mesic to wet soils.				•
<i>Betula papyrifera</i> Paper Birch	Brown April to May	to 80'	Forest Swamp	full sun to part shade	Loved for its white, peeling bark. Gorgeous in clumps on soils ranging from dry to wet. Widely adapted, found throughout the region.			•	•
<i>Carpinus caroliniana</i> Blue Beech	Green May to June	10-25'	Mesic to Moist Forest	full sun to full shade	Tall shrub to small tree with unique rippled wood that resembles striated muscle. Branches tend to go up and out horizontally like an umbrella. Very nice in the landscape. Widespread in MN and WI.				•
<i>Ceanothus americanus</i> New Jersey Tea	White June to Aug	1-2'	Prairie Savanna Woodland	full sun to part shade	Under-utilized, very attractive low shrub with glossy green leaves and 2" clusters of fragrant flowers. Great for foundation plantings and dry restoration sites. Found on dry prairies throughout the region.		•	•	

	Flowers	Ht.	Habitat	Light	Description	4Pack	2" Pot	4.25" Pot	Gallon +
<i>Ceanothus herbaceus</i> Prairie Red-Root	White May to July	1-2'	Prairie Dry Forest	full sun to shade	Similar to New Jersey Tea, but more shade-tolerant, adapted to driest sandy soils. Dry prairies to pine forests throughout the region.		•	•	
<i>Celastrus scandens</i> American Bittersweet	White June	Vine to 30'	Forest Forest Edge	full sun to part shade	Rambling climbing vine that climbs trees, shrubs or covers the ground. Most valued for bright orange berries that persist through the winter. Must plant several to get at least one female plant.				•
<i>Cephalanthus occidentalis</i> Buttonbush	White July to Aug	4-8'	Swamp Riparian Forest	full sun to part shade	Unique tropical-looking shrub with glossy foliage and attractive flower clusters in summer. Native range limited to southeastern MN and southwestern WI.				•
<i>Clematis virginiana</i> Old Man's Beard	White June to July	Vine to 12'	Forest Edge Prairie	full to part sun	Vigorous climber with typical clematis foliage and showy clusters of long-haired fruit that persists all winter. Climbs on almost anything. Found throughout MN and WI.		•		
<i>Comptonia peregrina</i> Sweet Fern	Brown April to May	1-2'	Pine Forest Savanna	full sun to part shade	Very cool low shrub with serrated elongate leaves that look like fern leaflets. Very pleasant, fragrant spicy foliage had a number of traditional medicinal uses. One of the most under-rated native shrubs.				•
<i>Cornus alternifolia</i> Pagoda Dogwood	White May to June	to 16'	Forest Swamp	full sun to part shade	Very attractive shrub with arching leaves that give the appearance of a giant bonsai. Perfect for the Japanese garden as well as habitat restoration or foundation plantings. Wide ranging in MN and WI.			•	•
<i>Cornus racemosa</i> Gray Dogwood	White May to July	6-8'	Forest Prairie	full sun to part shade	Widely adapted shrub that forms large clonal stands of scattered stems. Good fall color, excellent production of berries. Shade-tolerant.			•	•
<i>Cornus sericea</i> (<i>stolonifera</i>) Red Osier Dogwood	White May to Aug	to 6'	Forest Wetland Lake Edge	full sun to part shade	Very common in wetlands along lakes, streams, and rivers, particularly in the north. Red stems are beautiful in the winter. Mesic to wet soils.			•	•
<i>Corylus americanus</i> Hazelnut	Purple March to April	6-8'	Forest Wetland Lake Edge	full sun to part shade	Growing in popularity as landscape plant due to attractive foliage and fall color. Tolerates dry to wet soils and shade to sun. Very good, fast grower.				•
<i>Diervilla lonicera</i> Dwarf Bush Honeysuckle	Yellow June to Sept	2-3.5'	Woodland Forest Clearcuts	full sun to shade	Fantastic low shrub for mass plantings and woodland and forest restorations. Green-bronze arrow-shaped leaves and yellow trumpet-shaped flowers through much of the summer. Dry to moist soils throughout the region.		•	•	•
<i>Gaylussacia baccata</i> Black Huckleberry	White May to June	1-3'	Forest Swamp	full sun to shade	Attractive low-growing shrub of rocky woodlands and swamps. Fine fall color and attractive deep purple fruit. Widespread throughout MN and WI.			•	•
<i>Hammemalis virginiana</i> Witch Hazel	Yellow October	4'	Deciduous Forest	part to full shade	Fall flowering shrub with attractive foliage. Suitable for mesic to moist forest sites. Highly recommended for woodland restoration.				•
<i>Ilex verticillata</i> Winterberry Holly	Greenish June	to 6'	Forest Swamp Peatland	full sun to part shade	Gorgeous in winter. Female plants bear numerous red berries along stems. Excellent lake edge species, but also tolerates most upland soils. Plant at least four to ensure proper sex ratio.			•	•
<i>Juniperus virginiana</i> Red Cedar	none	20-50'	Prairie Savanna Forest	full to part sun	Very bushy tall shrub/short tree. Very tough, fire-tolerant species of the prairies. Color changes to brownish green in winter.				•
<i>Larix laricina</i> Tamarack (American Larch)	none	40-60'	Swamp Peatland Lake Edge	full sun to part shade	The only deciduous native conifer. Soft, light-green needles turn a beautiful gold in fall. One of last to lose leaves. Excellent for lake edge planting as well as in the landscape. Tolerates all but the driest soils.			•	•
<i>Physocarpus opulifolius</i> Ninebark	White May to June	6'	Prairie Forest Edge	full to part sun	Maple-like leaves on mound-forming shrubs with closely spaced stems. Popular as a foundation planting shrub. Tough and easy to grow. Moist to dry soils.			•	•
<i>Picea glauca</i> White Spruce	none	50-75'	Northern Forest	full sun to part shade	Climax species of the northern deciduous/conifer forests into the northern boreal forests. Very attractive tree for restoration and landscaping.			•	•
<i>Pinus banksiana</i> Jack Pine	none	to 60'	Dry Forest	full to part sun	Early successional tree of northern forests and dry sandy regions further south. Often has spreading habit. Makes a nice bonsai plant. Nice in the landscape pruned as a shrub or grown as a tree.			•	•

	Flowers	Ht.	Habitat	Light	Description	4Pack	2" Pot	4.25" Pot	Gallon +
<i>Pinus resinosa</i> Red / Norway Pine	none	100+'	Mixed and Northern Forest	full sun to part shade	Most commonly planted tree for wood production in the upper midwest. Particularly attractive as it ages with reddish plated bark. Plant one on a lake edge for a future bald eagle perch.			•	•
<i>Pinus strobus</i> Eastern White Pine	none	100-150'	Forest Bluffs Swamp	full sun to part shade	Fast-growing, long-lived pine which brought the first wave of European loggers to the area. Beautiful in the landscape. Tolerant to soils from wet to dry.			•	•
<i>Potentilla fruticosa</i> Shrub Cinquefoil	Yellow June to Sept	2-4'	Rocky Outcrops Wetland	full sun to part shade	Parent of all of the popular shrub cinquefoil varieties, one of the most popular landscape shrubs of the upper Midwest. Common in northern MN and WI, along the Great Lakes. Very long-flowering.				•
<i>Prunus americana</i> Wild Plum	White May to June	to 10'	Forest Edge Prairie	full to part sun	Profuse bloomer with white flowers in the spring. One of the parents of domestic plums with good-tasting fruits. Produces runners and spreads to form a hedge.				•
<i>Prunus pennsylvanica</i> Pin Cherry	White May to June	5-30'	Forest Woodland Savanna	full sun to shade	Common throughout MN and WI on wide range of soil types. Grows under most light levels ranging from forest understories to clearcut. Nice red fruits for jam and attracting birds. Excellent for restoration sites.				•
<i>Prunus virginiana</i> Choke Cherry	White May to June	10-25'	Forest Woodland	full to part sun	Small tree producing runners and tending to form dome-shaped stands when growing in the open. Pendant inflorescences of white flowers in spring. Good for jam.			•	•
<i>Quercus alba</i> White Oak	Green June	to 75'	Forest Woodland Savanna	full sun to part shade	Ornamental hardwood valued for its timber and acorn production. Common throughout the region on moist to dry soils.				•
<i>Quercus borealis</i> Northern Red oak	Green June	to 80'	Forest Woodland Savanna	full sun to part shade	Rapidly growing ornamental hardwood. Best oak for beautiful red fall color. Tolerates moist to dry soils, long-lived.				•
<i>Quercus ellipsoidalis</i> Northern Pin Oak	Green June	to 75'	Forest Woodland Savanna	full to part sun	Pioneer species growing following stand removal through fire or logging. Attractive deeply divided leaves and small acorns in abundance. Particularly adapted to dry soils.				•
<i>Quercus macrocarpa</i> Bur Oak	Green June	70-80'	Forest Woodland Savanna	full sun to part shade	Climax tree species in drier forested areas across the region. Stately, spreading trees common in savannas. Acorns with distinct fringed cap.				•
<i>Rhus typhina</i> Staghorn Sumac	Cream June	8-30'	Forest Margin Savanna	full to part sun	Rhizomatous shrub often forming dome-shaped stands along roadsides and in old fields. Trained as a tree by eliminating suckers, it produces a 20+' specimen in just a few years that is very attractive.				•
<i>Ribes americana</i> Black Currant	White May to June	4'	Forest	full sun to part shade	Shade tolerant shrub of mesic to wet forests and swamps throughout MN and WI.				•
<i>Rosa arkansana</i> Short Prairie Rose	Deep Pink June to July	1-4'	Prairie Savanna Woodland	full sun to part shade	Widely adapted wild rose tolerant to soils from moist to dry and full sun to part shade. Beautiful red hips in the fall. Ranges throughout MN and WI.				•
<i>Rosa blanda</i> Meadow Rose	Pink June to July	2-4'	Marsh Prairie Forest	full sun to part shade	Native to most moist to wet habitats throughout MN and WI. Excellent for lake edge plantings.				•
<i>Rosa carolina</i> Pasture Rose	Deep Pink June to July	1-4'	Prairie Savanna Woodland	full sun to part shade	Similar to above species. Great for restorations and low-maintenance landscaping with attractive hips through fall and winter. Adapted to drier habitats than other roses including forest edges.				•
<i>Rosa setigera</i> Tall Prairie Rose	Pink May to June	6-12'	Swamp Thickets	full sun to part shade	Stout, arching stems with thick prickles sometimes "climb" on other shrubs in swamps and forest margins. Nice as a dense barrier between shoreland properties. Native in southern WI, but hardy throughout.				•
<i>Sambucus canadensis</i> Wild Elderberry	White June to July	6-12'	Lake Edge Marsh Swamp	full to part sun	Fast-growing shrub tolerant of mesic to wet soils. White flower clusters are followed by deep purple berries. Very attractive and good in jam and wine.			•	•
<i>Sambucus pubens</i> Red Berried Elderberry	White May	4-8'	Dry to Mesic Forest	full sun to full shade	Shade-tolerant elderberry with red rather than purple berries that are said to be poisonous to people. A good shrub for shady locations. Very tough and easy to grow. Found throughout most of MN and WI.				•
<i>Shepherdia argentea</i> Buffalobery	White June	to 6'	Prairie Savanna	full to part sun	Tough shrub native into western MN. Attractive white foliage. Bears lots of red berries that are said to taste great out of hand and in jam.				•

	Flowers	Ht.	Habitat	Light	Description	4Pack	2" Pot	4.25" Pot	Gallon +
<i>Shepherdia canadensis</i> Canada Buffaloberry	White May to June	3-6'	Rocky Outcrops Woodland	full sun to part shade	Very tough species of sandy, rocky soils in the north. Narrow silver leaves and growth habit are very attractive for low-maintenance landscapes. Native in northern WI and northeastern MN.				.
<i>Sorbus americana</i> American Mountain Ash	White June	15-30'	Lake Edge Swamp Clearcuts	full to part sun	Small ornamental tree as nice as the European Mountain Ash. Broad flower clusters followed by orange fruit. Common in the north, especially along lake edges.				.
<i>Sorbus decora</i> Showy Mountain Ash	White June	15-40'	Mixed Forests Lake Edge	full sun to part shade	Ornamental tall shrub to small tree most common in the north, more tolerant of dry soil than American Mountain Ash.				.
<i>Spiraea alba</i> Meadowsweet	White June to Aug	3-4'	Prairie Lake Edge Peatland	full to part sun	Shrub that frequents lake margins on soil ranging from sand to peat and saturated to moderately dry. Very fast growing for habitat restoration. Great butterfly plant.		.	.	
<i>Spiraea tomentosa</i> Steeplebush	Pink July to Aug	2.5- 3.5'	Prairie Lake Edge Peatland	full to part sun	Shrub of lake margins ranging from sandy to peaty. Beautiful tall spikes of pink flowers above attractive foliage. Fast growing for shoreland restoration. Good butterfly plant.		.	.	
<i>Symphoricarpos albus</i> Snowberry	White June	3-4'	Forest Woodland	full sun to part shade	Excellent compact shrub for understory plantings and restoration sites. Blue green foliage and abundant white berries are attractive. Found throughout region.			.	.
<i>Thuja occidentalis</i> Eastern White Cedar	none	to 50'	Swamp Forest Lake Edge	full sun to part shade	Tree from which many ornamental Arbor Vitae shrubs are selected. Forms an attractive pyramid-shaped tree. Good evergreen privacy screen. Valuable wildlife cover.			.	.
<i>Tilia americana</i> Basswood	Green June	to 100'	Mesic to Moist Forest	full sun to part shade	Important component of climax forests along with sugar maple. Trees sucker from the base, often forming distinct several-stemmed clumps. Widespread in MN and WI.				.
<i>Vaccinium angustifolium</i> Lowbush Blueberry	White May to June	6-18"	Prairie Forest Peatland	full sun to shade	Yummy, fruit-producing, sprawling plants that grow in a range of habitats ranging from dry, sandy pine barrens to saturated peatlands. Wide-ranging in MN and WI.			.	.
<i>Vaccinium macrocarpon</i> Cranberry	Pink May to June	4-8"	Swamp Peatland	full sun to shade	Very attractive creeping evergreen groundcover that produces good-sized red, fully edible berries in the fall. Color turns reddish in the fall. OK for moist upland soil. Widespread in the Upper Midwest.				.
<i>Viburnum dentatum</i> Arrowwood Viburnum	White June	10-12'	Swamp Lake Edge	full sun to part shade	Glossy green toothed leaves. Dark purple berries in summer. Nice tall shrub for shoreland planting or as a hedge. Mesic to wet soils.			.	.
<i>Viburnum lentago</i> Nannyberry	White June	10-15'	Forest Swamp Lake Edge	full sun to part shade	Tall shrub with excellent purple fall foliage. Blue-black berries are very tasty fresh or in jam. Great bird cover and forage. Mesic to wet soils.			.	.
<i>Viburnum trilobum</i> Highbush Cranberry	White June	10-12'	Forest Swamp Lake Edge	full sun to part shade	Forms tall dense clusters with maple-like lobed leaves. Broad clusters of flowers followed by red berries that persist through winter for beauty and birds.			.	.

*PRICES, SIZING AND AVAILABILITY SUBJECT TO CHANGE